



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India & NABL Valid Up to 13/06/2026.

Test Report No.	SL/25-26/04/MAA/36ag, 68M, 100AX, 110N, 146X, 173N, 183g, 210AE.	T.R. Date	03/05/2025
Customer Name and Address	M/s. VEDANTA LIMITED VALUE ADDITION BUSINESS, AMONA AND NAVELIM, BICHOLIM - GOA.		
Letter Ref / Date.	Ref. No. 4920077190 dated 08/04/2025		
Sampling Done By	SATPL Representative	Page No.	1 of 1
Month of Sampling	APRIL - 2025		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Location 1 - Near Amona Gate
Duration of Sampling [Hrs]	24
Average Ambient Temperature [°C]	34
Average Relative Humidity [%]	64

ANALYSIS REPORT :-

Sr. No.	Report No.	Date of Sampling	Parameters											
			PM ₁₀	PM _{2.5}	SO ₂	NO _x	NH ₃	CO***	Pb	C ₆ H ₆	As	Ni	O ₃ ***	B(a)P
1	SL/25-26/04/MAA/36ag	03/04/2025	67.74	34.10	11.72	10.64	9.54	0.43	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
2	SL/25-26/04/MAA/68M	07/04/2025	58.57	29.11	8.46	14.81	13.59	0.34	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
3	SL/25-26/04/MAA/100AX	10/04/2025	65.49	32.02	9.77	20.55	11.98	0.29	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
4	SL/25-26/04/MAA/110N	14/04/2025	60.04	29.94	11.07	17.65	10.62	0.38	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
5	SL/25-26/04/MAA/146X	17/04/2025	62.42	31.60	14.32	15.58	8.84	0.33	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
6	SL/25-26/04/MAA/173N	21/04/2025	56.04	27.45	9.12	19.40	10.24	0.27	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
7	SL/25-26/04/MAA/183g	24/04/2025	60.69	30.36	7.16	13.48	13.42	0.41	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
8	SL/25-26/04/MAA/210AE	28/04/2025	52.82	25.78	11.42	18.86	12.54	0.37	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
NAAQS Limits*			100	60	80	80	400	4	1	5	6	20	180	1
Units			µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³

*N.A.A.Q.S. - National Ambient Air Quality Standards.

** Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

*** Hourly Value

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
121122100	Fine Particulate Sampler	SATPL/AR/FPS-01/89/DGM	25031301/05	18.03.2025	17.03.2026
1175R1 1B-DT- 01023	Respirable Dust Sampler	SATPL/AR/RDS-01/88/MM	25031301/04	18.03.2025	17.03.2026
1211-DTC- 2013	Gaseous Attachment Sampler	SATPL/AR/RDS 01-/88/ GSA	25031301/14	18.03.2025	17.03.2026
D307534576	Digital Electronic Balance	SATPL/WT/WL/39	FSC/2503/1801/005	15.03.2025	14.03.2026
NA	Digital Spectrophotometer Model	SATPL/WT/UV/30		Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



-----End of Test Report-----

SJM

Managing Director
Authorized Signatory

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com

• MUMBAI • PUNE • VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India & NABL Valid Up to 13/06/2026.

Test Report No.	SL/25-26/04/MAA/36ah, 68N, 100AY, 1100, 146Y, 1730, 183h, 210AF.	T.R. Date	03/05/2025
Customer Name and Address	M/s. VEDANTA LIMITED VALUE ADDITION BUSINESS, AMONA AND NAVELIM, BICHOLIM – GOA.		
Letter Ref / Date.	Ref. No. 4920077190 dated 08/04/2025		
Sampling Done By	SATPL Representative	Page No.	1 of 1
Month of Sampling	APRIL- 2025		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Location 2 - Opp. BSNL Exchange
Duration of Sampling [Hrs]	24
Average Ambient Temperature [°C]	34
Average Relative Humidity [%]	64

ANALYSIS REPORT :-

Sr. No.	Report No.	Date of Sampling	Parameters											
			PM ₁₀	PM _{2.5}	SO ₂	NO _x	NH ₃	CO***	Pb	C ₆ H ₆	As	Ni	O ₃ ***	B(a)P
1	SL/25-26/04/MAA/36ah	03/04/2025	69.65	33.68	9.77	17.46	12.84	0.37	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
2	SL/25-26/04/MAA/68N	07/04/2025	65.15	32.02	12.37	14.05	11.69	0.35	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
3	SL/25-26/04/MAA/100AY	10/04/2025	60.84	30.36	7.81	10.10	8.37	0.38	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
4	SL/25-26/04/MAA/1100	14/04/2025	64.19	31.60	10.42	18.35	13.42	0.32	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
5	SL/25-26/04/MAA/146Y	17/04/2025	69.62	29.11	9.12	13.83	12.14	0.25	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
6	SL/25-26/04/MAA/1730	21/04/2025	54.30	27.03	13.67	19.05	9.86	0.34	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
7	SL/25-26/04/MAA/183h	24/04/2025	61.22	31.60	8.46	20.17	10.94	0.39	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
8	SL/25-26/04/MAA/210AF	28/04/2025	57.73	28.69	11.72	15.52	13.26	0.43	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
NAAQS Limits*			100	60	80	80	400	4	1	5	6	20	180	1
Units			µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³

*N.A.A.Q.S. – National Ambient Air Quality Standards.

** Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

*** Hourly Value

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
121122100	Fine Particulate Sampler	SATPL/AR/FPS-01/89/DGM	25031301/05	18.03.2025	17.03.2026
1175R1 18-DT- 01023	Respirable Dust Sampler	SATPL/AR/RDS-01/88 /MM	25031301/04	18.03.2025	17.03.2026
1211-DTC- 2013	Gaseous Attachment Sampler	SATPL/AR/RDS 01-/88/ GSA	25031301/14	18.03.2025	17.03.2026
D307534576	Digital Electronic Balance	SATPL/WT/WL/39	FSC/2503/1801/005	15.03.2025	14.03.2026
NA	Digital Spectrophotometer Model	SATPL/WT/UV/30		Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



SJM
Managing Director
Authorized Signatory

-----End of Test Report-----

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com

• MUMBAI • PUNE • VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India & NABL Valid Up to 13/06/2026.

Test Report No.	SL/25-26/04/MAA/36aI, 68O, 100AZ, 110P, 146Z, 173P, 183I, 210AG.	T.R. Date	03/05/2025
Customer Name and Address	M/s. VEDANTA LIMITED VALUE ADDITION BUSINESS, AMONA AND NAVELIM, BICHOLIM – GOA.		
Letter Ref / Date.	Ref. No. 4920077190 dated 08/04/2025		
Sampling Done By	SATPL Representative	Page No.	1 of 1
Month of Sampling	APRIL- 2025		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Location 3 - Near Dispatch Gate
Duration of Sampling [Hrs.]	24
Average Ambient Temperature [°C]	34
Average Relative Humidity [%]	64

ANALYSIS REPORT :-

Sr. No.	Report No.	Date of Sampling	Parameters											
			PM ₁₀	PM _{2.5}	SO ₂	NO _x	NH ₃	CO***	Pb	C ₆ H ₆	As	Ni	O ₃ ***	B(a)P
1	SL/25-26/04/MAA/36aI	03/04/2025	63.64	32.44	12.37	18.06	10.67	0.36	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
2	SL/25-26/04/MAA/68O	07/04/2025	59.55	29.94	9.77	18.70	13.94	0.25	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
3	SL/25-26/04/MAA/100AZ	10/04/2025	65.57	33.27	7.81	21.15	12.41	0.39	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
4	SL/25-26/04/MAA/110P	14/04/2025	54.91	25.37	11.72	12.04	11.28	0.36	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
5	SL/25-26/04/MAA/146Z	17/04/2025	56.24	29.11	9.12	13.89	13.55	0.28	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
6	SL/25-26/04/MAA/173P	21/04/2025	64.56	31.19	11.07	17.55	10.94	0.31	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
7	SL/25-26/04/MAA/183I	24/04/2025	59.43	30.36	8.46	15.87	14.03	0.35	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
8	SL/25-26/04/MAA/210AG	28/04/2025	54.89	27.03	14.32	20.14	11.38	0.37	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
NAAQS Limits*			100	60	80	80	400	4	1	5	6	20	180	1
Units			µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³

*N.A.A.Q.S. – National Ambient Air Quality Standards.

** Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

*** Hourly Value

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
121122100	Fine Particulate Sampler	SATPL/AR/FPS-01/89/DGM	25031301/05	18.03.2025	17.03.2026
1175R1 1B-DT- 01023	Respirable Dust Sampler	SATPL/AR/RDS-01/88/MM	25031301/04	18.03.2025	17.03.2026
1211-DTC- 2013	Gaseous Attachment Sampler	SATPL/AR/RDS 01-/88/ GSA	25031301/14	18.03.2025	17.03.2026
D307534576	Digital Electronic Balance	SATPL/WT/WL/39	FSC/2503/1801/005	15.03.2025	14.03.2026
NA	Digital Spectrophotometer Model	SATPL/WT/UV/30		Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



SJM
Managing Director
Authorized Signatory

-----End of Test Report-----

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com

• MUMBAI • PUNE • VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India & NABL Valid Up to 13/06/2026.

Test Report No.	SL/25-26/04/MAA/36aj, 68P, 100Aa, 110Q, 146Aa, 173Q, 183j, 210AH.	T.R. Date	03/05/2025
Customer Name and Address	M/s. VEDANTA LIMITED VALUE ADDITION BUSINESS, AMONA AND NAVELIM, BICHOLIM – GOA.		
Letter Ref / Date.	Ref. No. 4920077190 dated 08/04/2025		
Sampling Done By	SATPL Representative	Page No.	1 of 1
Month of Sampling	APRIL - 2025		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Location 4 - Compound Wall Towards Navelim
Duration of Sampling [Hrs.]	24
Average Ambient Temperature [°C]	34
Average Relative Humidity [%]	64

ANALYSIS REPORT :-

Sr. No.	Report No.	Date of Sampling	Parameters											
			PM ₁₀	PM _{2.5}	SO ₂	NO _x	NH ₃	CO***	Pb	C ₆ H ₆	As	Ni	O ₃ ***	B(a)P
1	SL/25-26/04/MAA/36aj	03/04/2025	56.98	28.28	9.77	17.30	11.74	0.39	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
2	SL/25-26/04/MAA/68P	07/04/2025	63.96	32.02	13.67	15.23	9.67	0.37	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
3	SL/25-26/04/MAA/100Aa	10/04/2025	60.48	29.94	7.81	19.85	13.27	0.33	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
4	SL/25-26/04/MAA/110Q	14/04/2025	68.01	34.93	12.37	10.58	8.69	0.31	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
5	SL/25-26/04/MAA/146Aa	17/04/2025	56.04	28.69	11.07	14.18	10.35	0.38	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
6	SL/25-26/04/MAA/173Q	21/04/2025	58.64	29.11	9.77	18.41	12.17	0.35	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
7	SL/25-26/04/MAA/183j	24/04/2025	55.81	27.03	8.46	19.40	13.43	0.27	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
8	SL/25-26/04/MAA/210AH	28/04/2025	63.86	31.60	10.42	13.13	9.67	0.29	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
NAAQS Limits*			100	60	80	80	400	4	1	5	6	20	180	1
Units			µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³

*N.A.A.Q.S. – National Ambient Air Quality Standards.

** Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

*** Hourly Value

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
121122100	Fine Particulate Sampler	SATPL/AR/FPS-01/89/DGM	25031301/05	18.03.2025	17.03.2026
1175R1 18-DT- 01023	Respirable Dust Sampler	SATPL/AR/RDS-01/88/MM	25031301/04	18.03.2025	17.03.2026
1211-DTC- 2013	Gaseous Attachment Sampler	SATPL/AR/RDS 01-/88/ GSA	25031301/14	18.03.2025	17.03.2026
D307534576	Digital Electronic Balance	SATPL/WT/WL/39	FSC/2503/1801/005	15.03.2025	14.03.2026
NA	Digital Spectrophotometer Model	SATPL/WT/UV/30		Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



-----End of Test Report-----

SJM
Managing Director
Authorized Signatory

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiagua.com Web: www.shreejiagua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiagua.com

• MUMBAI • PUNE • VADODARA

Innovative Environmental Solutions Under One Roof



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India & NABL Valid Up to 13/06/2026.

Test Report No.	SL/25-26/04/MAA/36ak, 68Q, 100Ab, 110R, 146Ab, 173R, 183k, 210AI.	T.R. Date	03/05/2025
Customer Name and Address	M/s. VEDANTA LIMITED VALUE ADDITION BUSINESS, AMONA AND NAVELIM, BICHOLIM – GOA.		
Letter Ref / Date.	Ref. No. 4920077190 dated 08/04/2025		
Sampling Done By	SATPL Representative	Page No.	1 of 1
Month of Sampling	APRIL - 2025		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Location 5 - Near Satteri Temple
Duration of Sampling [Hrs.]	24
Average Ambient Temperature [°C]	34
Average Relative Humidity [%]	64

ANALYSIS REPORT :-

Sr. NO.	Report No.	Date of Sampling	Parameters											
			PM ₁₀	PM _{2.5}	SO ₂	NO _x	NH ₃	CO***	Pb	C ₆ H ₆	As	Ni	O ₃ ***	B(a)P
1	SL/25-26/04/MAA/36ak	03/04/2025	60.50	30.36	7.16	13.03	14.06	0.38	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
2	SL/25-26/04/MAA/68Q	07/04/2025	56.19	27.86	10.42	19.85	13.96	0.34	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
3	SL/25-26/04/MAA/100Ab	10/04/2025	63.71	31.19	11.72	12.68	11.85	0.31	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
4	SL/25-26/04/MAA/110R	14/04/2025	55.23	27.03	9.12	15.17	8.46	0.28	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
5	SL/25-26/04/MAA/146Ab	17/04/2025	62.35	30.36	12.37	14.46	12.55	0.36	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
6	SL/25-26/04/MAA/173R	21/04/2025	53.81	23.29	8.46	18.06	10.75	0.25	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
7	SL/25-26/04/MAA/183k	24/04/2025	60.85	30.77	9.77	20.55	13.66	0.34	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
8	SL/25-26/04/MAA/210AI	28/04/2025	58.90	26.61	7.81	11.98	9.37	0.39	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
NAAQS Limits*			100	60	80	80	400	4	1	5	6	20	180	1
Units			µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³

*N.A.A.Q.S. – National Ambient Air Quality Standards.

** Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

*** Hourly Value

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No.	Calibration Detail	
				Calibrated Date	Calibration Due Date
121122100	Fine Particulate Sampler	SATPL/AR/FPS-01/89/DGM	25031301/05	18.03.2025	17.03.2026
1175R1 1B-DT- 01023	Respirable Dust Sampler	SATPL/AR/RDS-01/88 /MM	25031301/04	18.03.2025	17.03.2026
1211-DTC- 2013	Gaseous Attachment Sampler	SATPL/AR/RDS 01-/88/ GSA	25031301/14	18.03.2025	17.03.2026
D307534576	Digital Electronic Balance	SATPL/WT/WL/39	FSC/2503/1801/005	15.03.2025	14.03.2026
NA	Digital Spectrophotometer Model	SATPL/WT/UV/30		Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



-----End of Test Report-----

SJM
Managing Director
Authorized Signatory

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No. 1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com



|| Shreeji ||

SHREEJI AQUA TREATMENT PVT. LTD.

Innovative Environmental Solutions Under One Roof

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • ANIMAL FOOD & FEED • MICROBIOLOGY

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India & NABL Valid Up to 13/06/2026.

Test Report No.	SL/25-26/04/MAA/36al, 68R, 100Ac, 110S, 146Ac, 173S, 183I, 210AJ.	T.R. Date	03/05/2025
Customer Name and Address	M/s. VEDANTA LIMITED VALUE ADDITION BUSINESS, AMONA AND NAVELIM, BICHOLIM – GOA.		
Letter Ref / Date.	Ref. No. 4920077190 dated 08/04/2025		
Sampling Done By	SATPL Representative	Page No.	1 of 1
Month of Sampling	APRIL - 2025		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Location 6 - Compound Wall Towards Maina
Duration of Sampling [Hrs.]	24
Average Ambient Temperature [°C]	34
Average Relative Humidity [%]	64

ANALYSIS REPORT :-

Sr. No.	Report No.	Date of Sampling	Parameters											
			PM ₁₀	PM _{2.5}	SO ₂	NO _x	NH ₃	CO***	Pb	C ₆ H ₆	As	Ni	O ₃ ***	B(a)P
1	SL/25-26/04/MAA/36al	03/04/2025	62.84	31.60	9.12	19.05	11.38	0.37	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
2	SL/25-26/04/MAA/68R	07/04/2025	59.51	28.69	11.07	13.83	14.05	0.35	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
3	SL/25-26/04/MAA/100Ac	10/04/2025	58.02	27.45	12.37	18.35	13.22	0.26	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
4	SL/25-26/04/MAA/110S	14/04/2025	55.10	27.86	7.81	19.50	10.84	0.33	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
5	SL/25-26/04/MAA/146Ac	17/04/2025	64.10	30.77	11.72	10.29	9.48	0.39	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
6	SL/25-26/04/MAA/173S	21/04/2025	56.59	27.03	10.42	19.05	8.64	0.34	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
7	SL/25-26/04/MAA/183I	24/04/2025	60.56	31.19	7.16	20.20	13.84	0.44	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
8	SL/25-26/04/MAA/210AJ	28/04/2025	66.09	33.68	8.46	16.66	11.21	0.29	<0.01	<0.1	<1.0	<0.5	<20.0	<0.1
NAAQS Limits*			100	60	80	80	400	4	1	5	6	20	180	1
Units			µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	mg/m ³	µg/m ³	µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³

*N.A.A.Q.S. – National Ambient Air Quality Standards.

** Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

*** Hourly Value

EQUIPMENT CALIBRATION DETAILS

Sr. No.	Equipment Name	Equipment ID	Certificate No	Calibration Detail	
				Calibrated Date	Calibration Due Date
121122100	Fine Particulate Sampler	SATPL/AR/FPS-01/89/DGM	25031301/05	18.03.2025	17.03.2026
1175R1 1B-DT- 01023	Respirable Dust Sampler	SATPL/AR/RDS-01/88 /MM	25031301/04	18.03.2025	17.03.2026
1211-DTC- 2013	Gaseous Attachment Sampler	SATPL/AR/RDS 01-/88/ GSA	25031301/14	18.03.2025	17.03.2026
D307534576	Digital Electronic Balance	SATPL/WT/WL/39	FSC/2503/1801/005	15.03.2025	14.03.2026
NA	Digital Spectrophotometer Model	SATPL/WT/UV/30	-----	Inhouse Calibration	

For Shreeji Aqua Treatment Pvt. Ltd.



SJM
Managing Director
Authorized Signatory

-----End of Test Report-----

Pune: Plot No. B-24, H Block, Lal Topi Nagar, Morewadi, MIDC, Pimpri-Chinchwad, Maharashtra 411018.

Lab: 1&4, Shreeji Terrace Apt. Plot No. 53, Purna Nagar, Chikhali, Pune: 411019

Vadodara: Plot No.1, Shah Ind. Park-1, Vadodara-Savli, Lamdapura. 391 775 Dist. Vadodra

Customer Care No.: +919225247365 Email: info@shreejiaqua.com Web: www.shreejiaqua.com

Shreeji Aqua is always subject to improvement for better customer satisfaction, we welcome your feedback on pune_lab@shreejiaqua.com

• MUMBAI • PUNE • VADODARA

Innovative Environmental Solutions Under One Roof