

GOA STATE POLLUTION CONTROL BOARD

गोंय राज्य प्रदुशण नियंत्रण मंडळ

(An ISO 9001-2008 Certified Board)

Phone Nos : 91-832-2438567, 2438528
2438563, 2438550

Tel / Fax No. : 0832-2438528



Email id's :

Member Secretary, GSPCB - ms-gspcb.goa@nic.in
Environment Engineer, GSPCB - ee-gspcb.goa@nic.in
Scientist, GSPCB - scientist-gspcb.goa@nic.in
Asst. Env Engineer, GSPCB - aee-gspcb.goa@nic.in
Asst. Law Officer, GSPCB - alo-gspcb.goa@nic.in

FORM III (See rule 10)

AUTHORISATION

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of bio-medical wastes)

1. File number of authorisation and date of issue No.13/595/17-PCB/
Tech/105 dated 04/04/2017
2. M/s. Codli Dispensary an occupier or operator of the facility located at Vedanta limited (Sesa Sterlite Ltd. / Sesa Goa Ltd, Vedanta Limited, Codli Mines, Kirlapale-Dabal, Goa., is hereby granted an authorisation for;


Activity	Please tick
Generation, segregation	✓
Collection,	N/A
Storage	✓
packaging	N/A
Reception	N/A
Transportation	N/A
Treatment or processing or conversion	✓
Recycling	N/A
Disposal or destruction (Sent to Vedanta Ltd, Met Coke Division, Amona for incineration)	✓
use	N/A
offering for sale, transfer	N/A
Any other form of handling	N/A

3. **M/s. Codli Dispensary** is hereby authorized for handling of biomedical waste as per the capacity given below;

(i)	Number of beds of HCF:	<u>N/A</u>
(ii)	Number healthcare facilities covered by CBMWTF:	<u>N/A</u>
(iii)	Installed treatment and disposal capacity:	<u>N/A</u> Kg per day
(iv)	Area or distance covered by CBMWTF:	<u>N/A</u>
(v)	Quantity of Biomedical waste handled, treated or disposed:	<u>N/A</u>

Type of Waste Category	Quantity permitted for Handling
Yellow	0.05 Kg/ day
Red	0.02 Kg/ day
White (Translucent)	0.02 Kg/ day
Blue	<u>N/A</u>

4. This authorisation shall be in force for a period of **10 Years** from the date of issue.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.


(Sanjeev Joglekar)
Environmental Engineer
For Goa State Pollution Control Board

Terms and conditions of authorisation *

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

Copy to:- 1 Accounts Section
2 Concerned File
3 Guard File

Received BMW Authorization fee of:

Challan no.	Amount	Date
1215	Rs.1250/-	20/08/2016
2242	Rs.11250/-	03/03/2017

Type by	Checked by	Verified by
<i>[Signature]</i>	<i>[Signature]</i>	<i>Prabh-desh</i>

[Signature]
(Sanjeev Joglekar)
Environmental Engineer
For Goa State Pollution Control Board