

sesa goa iron ore

Ref No.: VL/2017/CO-ECC- 1 Date: 23.11.2016

To,
The Additional Director (South)
Ministry of Environment, Forest & Climate Change
Regional Office (Southern Zone)
Kendriya Sadan, IVth Floor, E & F Wings
17th Main Road, II Block, Kormangala
Bangalore – 560 034

Sub: Six monthly compliance report of Codli Group of Iron Ore Mines (T.C. No. 70/52, T.C. No. 126/53 and T.C No.69/51), Goa for the period October 2016 to March 2017.

Respected Sir,

We are herewith submitting the condition wise compliance report & annexures and CD as per the conditions laid down in the Environmental Clearance Letter No: J-11015/1133/2007-IA.II(M) dated 29/12/2008 for the period October 2016 to March 2017.

Thanking you,

Yours faithfully,

For Vedanta Ltd.

Mr. Irshad Mamlekar Mines Manager Codli Mines

Enclosed: Six monthly compliance report & CD for the same of Codli Group of Iron Ore Mine for the period of October 2016 to March 2017.

C.C: 1. Member Secretary, Goa State Pollution Control Board

VEDANTA LIMITED (Formerly known as Sesa Sterlite Ltd/Sesa Goa Ltd.) sesa goa iron ore: Sesa Ghor, 20 EDC Complex, Patto, Panjim, Goa – 403 001, India T +91 0832 2460600 | Website: www.sesagoaironore.com

Registered Office: Vedanta Limited, 1st Floor, 'C' wing, Unit 103, Corporate Avenue, Atul Projects, Chakala, Andheri (East), Mumbai 400093, Maharashtra, India. CIN: L13209GA1965PLC000044

CODLI GROUP OF IRON ORE MINES (T.C. No. 70/52, T.C. No. 126/53 and T.C No.69/51)

Production Capacity: 7.0 MTPA as per Environment Clearance, however the current production limit is 3.155 MTPA as per capping imposed by State Government

COMPLIANCE TO ENVIRONMENT CLEARANCE CONDITIONS

for the period October 2016 to March 2017 Environment clearance Letter No: J-11015/1133/2007-IA.II (M)

Dated: 29/12/2008

Issued By:

Ministry of Environment & Forests, Govt. of India, under 2006 EIA Notification

Compliance report to conditions of environmental clearance issued by

Ministry of Environment & Forests, Govt. of India, for Codli Group Of Iron Ore Mines (T.C. No. 70/52, T.C. No. 126/53 and T.C No.69/51)

Letter No: J-11015/1133/2007-IA.II(M)

Production: 7.0 MTPA as per Environment clearance, however the current production limit is 3.155 MTPA as per capping imposed by State Government

Period - October 2016 to March 2017

S. No	Condition of clearance	Status of compliance	Remarks
Α.	Specific Conditions		
(I)	Environmental Clearance is subject to final order of the Hon'ble Supreme of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) no. 460 of 2004, as may applicable to this project.	Noted.	
		The provisions of Wildlife (Protection) Act, 1972 is not applicable as Codli Group of Mines does not fall within 1 km of under Eco-sensitive Zones notified for the State of Goa.	

(iii)	area 100.0 ha, T.C. No126/53and (iii) Gurmel Iron Ore Mine (ML area 99.76, T.C. no. 70/52) Shall be amalgamated and no horizontal expansion of the mineral bearing areas other	The amalgamation has been granted via DMG/AMLG//VL/02/2016/603 dated 10/05/17. Mining is carried out as per approved mining plan.	
	than the areas ear marked for 4.0 MTPA productions shall be carried out.	÷	
(iv)	No two pits shall be simultaneously worked i.e. before the first pit is exhausted and reclamation work completed, no mineral bearing area shall be worked.	Letter requesting Corrigendum in this condition has been sent to MoEF Dated 10/06/2009. Mining is carried out as per mining plan approved by Indian Bureau of Mines.	
(v)	After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation works in the exhausted pit shall be completed so as to ensure that reclamation, forest cover and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be	Mining is carried out as per mining plan approved by Indian Bureau of Mines. Some of the exhausted mine pits are utilized to harvest and store rain water which is required for beneficiation and some exhausted pits are utilized for tailing disposal or back filling as approved in the mining plan.	place. The mine was always a multi pit operation. The same was informed to
	completed before any new ore bearing area is worked for expansion.		

(vi)	Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.	The mining is carried out as per the IBM approved mining plan.	
(vii)	Primary Survey of flora and fauna shall be carried out and data shall be submitted to the Ministry within six months.	The primary list of flora and fauna was submitted to MOEF as part of EIA document.	A detailed biodiversity management plan is being prepared in association with CEE (Center for Environment Education). Final Draft of the report has been received. Finalization of Report is in the process.
(viii)	Conservation plan for wildlife shall be prepared in consultation with the chief Wild Life Warden for implementation Within six months and before start of expansion activity. The plan shall consist of in-built monitoring and evaluation mechanism .Necessary fund for implementation of the same shall be separately allocated and shall not be diverted for any other activity.	Conservation plan for wild life has been prepared in consultation with state forest department and submitted to forest department. For conservation of Flora and fauna 60 lakhs have been allocated.	The above mentioned studies would also include management plan for biodiversity.
(IX)	plant or dispose off 100% low grade ores/ fines to prospective buyers.	Presently sub grade ore utilized by beneficiation and by blending to maximum possible and balance ore is stacked separately with proper protection for future use. Efforts are made for the utilization of the tailings and Low grade material of 45-50% of Fe. Possibilities are explored for	N

		utilizing the waste for the alternative use.	
(x)	reviewed annually. In case adverse effect on ground water quality and quantity is observed		
(xi)	Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as application) and records submitted to the Ministry.	The fugitive dust generations are regardly	Graphical Representation of Air Monitoring Results is attached as Annexure 1.
		(3)Drilling & blasting is mostly carried out during monsoon. Wet drilling is strictly followed (4)Ore carrying trucks plying on roads are covered with	

		tarpaulin & free board is provided to prevent spillage. (5)Fixed type dust suppression system has been installed on main haulage road on the mine. (6) Wheel wash systems have been installed at the exits of the transport routes.	
(xii)	Shelter belt i.e. Wind Break of 30 m width an consisting of at least 5 tiers around lease facing the school/agricultural fields (if any in the vicinity) shall be raised.	d Complied Green belt or shelter belt of more than 30m. Wide is developed along the lease periphery facing the school/agricultural fields and habitation.	
xiii)	A 50 m barrier of "no mining zone" all along both the sides (s) facing the nallah (if any) passing through the lease area shall be demarcated and thick vegetation of native species raised. Status of implementation shall be submitted to the Regional Office of the Ministry on half yearly basis.	No nallah is passing through the lease area.	
xiv)	A 50 m barrier of "no mining zone "all along both the sides facing the Karmone River shall be demarcated and thick vegetation of native species raised. Status of implementation shall be submitted to the Regional Office of the Ministry on half yearly basis.	Complied Natural Green Barrier of thick vegetation of more than 50 meter has been maintained all along the Karmone river.	

(xvi) Land- use pattern of the nearby villages shall Land- Use pattern study has been done as a part of EIA studies and subsequently detailed baseline study is
--

	compensation for damage to agricultural land common property land (if any) in the nearby villages, due to mining activity shall be submitted to the Regional office of the Ministry within six months. Annual status of implementation of the plan and expenditure thereon shall be reported to the Regional Office of the Ministry from time to time.	conducted. The baseline study apart from socio- economic details. The various socio-economic and common resource management programs were devised and implemented. Approx. Expenditure on various agriculture development and water shed programmes is included in the community development budget.	
(xvii)	Maintenance of village roads through which transportation of ores are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped.	Complied. Company carries out maintenance of village roads which are used for transportation. The roads are black topped. Mine road meeting the public road is asphalted. The recent maintenance photos were send in the last EC Compliance Reports	
(xviii)	and thereafter every year from the next	Complied. Rain water harvesting is carried out within the mining lease area. The Exhausted mine pits are utilized for harvesting all the rain water falling within the lease area. The status of implementation is communicated to ministry on six monthly basis. Check dams are also constructed which aid in rain water percolation.	Pits are utilized as water reservoir for Beneficiation Plant and also as tailing ponds.
(xix)	Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable materials, and thick plantations of native trees and shrubs shall be	Complied. Necessary protective measures to prevent the silt flow are implemented. Geo-textiles along with leguminous grasses are laid on the dump slope. Plantation of Native species is taken up on geo-textile laid areas. Retaining walls made of lateritic boulders are constructed at the toe of the dumps followed by series of settling ponds and bunds. The settling ponds are de-silted	

	protected by retaining walls.	before the on-set of monsoons.	
	Trenches/ garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest slit from being carried to water bodies. Adequate number of Check Dams and Gully Plugs shall be constructed across seasons / perennial nallahs (if any) flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.	Complied. Garland drains are constructed on each dump step to channelize the water. ERW pipes are used to channelize the water from one step to other and finally in to the trenches at the toe of dump. Adequate number of check dams or filter beds is provided within the trenches. The trenches are connected to series of settling ponds. The settling ponds are desilted every year before the onset of monsoon. Lateritic boulder wall are constructed all along the toe of the dump. No nallah passes through the ML area.	
xxi	Dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and deslited at regular intervals.	Complied. Garland drain of appropriate size, gradient and length is constructed for both mine pit and for waste. Sedimentation pits are constructed at the corners of the garland drains and de-silted at regular intervals.	

(xxii)	Ground water in the core zone shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the regional office of the Ministry regularly .Further, monitoring points shall be located between the mine and drainage in the direction of flow of ground water shall be set up and records maintained.	Complied. Monitoring of Ground water is done in the wells surrounding the lease area periodically and the reports are submitted to Ministry and SPCB regularly.	Graphical Representation of Ground Water Monitoring Results is attached as Annexure-2 .
(xxiii)	habitation (including schools and other public amenities located nearest to sources of dust generation as applicable)and records submitted to the Regional Office of the Ministry.	Complied. Fugitive dust emission is been monitored and the reports are sent to the MOEF and GSPCB. Following measures are initiated for control of fugitive dust emission 1) Water sprinkling is carried out to prevent the dust being getting air borne (2)Dumps are covered with Lateritic waste, geotextiles and afforested with plants/grasses which helps in minimizing the fugitive dust . 3) Drilling & blasting is mostly carried out during monsoon. Wet drilling is strictly followed. (4)Wheel wash system has been provided to contain the dust being carried on public road. (5) Ore carrying trucks plying on public road are covered with tarpaulin & free board is provided to prevent spillage. (6)Fixed type dust suppression system has been installed on main haulage road on the mine.	Monitoring Results is attached as Annexure 1.
xxiv)	of waste land shall be taken up in phased	uch land which can be brought under cultivation. Over	Total beneficiaries are 220 farmer families and area under cultivation is 26.63ha. (land earlier was fallow land). Various crop improvement methods are

	submitted to the Regional office of Ministry.	Vagon, Bandol, Kirlapale villages) has been brought under cultivation through our agricultural development programs in association with state agriculture department.	adopted on field e.g. SRI- systematic Rice intensification etc.
(xxv)	Monitoring of soil samples for assessment of transformation to acidic stage or contamination due to mining activity (as applicable) shall be regularly conducted and records maintained.	Complied. Soil analysis from adjoining agriculture lands is done regularly and records maintained at site.	
(xxvi)	Transportation of ore shall be done by covering the trucks with tarpaulin or other suitable mechanism so that no spillage of ore / dust takes place. Transportation shall be done only during day time.	Complied. All trucks plying out of mining premises are properly covered with tarpaulin. No transportation is carried out during night time.	
(xxvii)	Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposures to mineral dust etc. shall be carried out. The company shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to Respirable mineral dust on the workers shall be conducted and records maintained including health records of the Workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried		

	out periodically. Review of impact of various health measures undertaken (at interval of five, years of less) shall be conducted followed by follow up action wherever required.	review of their health status.	
(xxviii)	Top soil/ solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.		
(xxix)	stage shall preferably be of 10 m and overall slope of the dump shall not exceed 28 degree. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and	OB is stacked at the earmarked dump sites as per the approved mining plan. Proper care is taken for scientifically stabilizing the dumps. Dumps are covered with Geotextile. Leguminous grass species like Styllosanthus scabra, Styllosanthus hamata is grown in the first year of dumping. In subsequent years the native species are planted on the same dump. Aftercare is provided and area is properly vegetated & maintained. Compliance is submitted on six monthly basis to Ministry.	

(xxx)	approved by Indian Bureau of Mines.	Complied. It is implemented as per the mining plan approved by Indian Bureau of mines Complied. Annual Plantation programme is carried out in	Plantation Details are attached in the
(xxxi)	Adequate plantation shall be raised in the MI area, haul roads, OB dump sites etc. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Department. Herbs and shrubs shall also from a part of forestation programme besides tree plantation. The density of the trees not be less than 2500 plants per ha, The company shall involve local people with the help of self help group for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office of the Ministry every year.	and around the mining site based on availability of faild for plantation. Finalized dumps portions, roadsides, embankment are planted with mix of both fast growing and native species. Expert advice from forest department is sought. Plantation and providing after care to the plants is carried out with the help of local youths or the villagers from nearby location. Spacing of 2m *2m is maintained in between two saplings. Details of	Annexure 5 for the

(xxxiv)	Waste water from the Beneficiation plant shall be regularly tested for all relevant parameters	Complied. There is no discharge of tailings outside the mine area. The tailings are treated and clean water is reused for beneficiation. The treated water if at all	
xxxiii	the Ministry.	Tailings are disposed into exhausted mining pits and treated with lime and flocculants. Pit No 4: Almost reclaimed by backfilling with tailings, Pit No 7 and 8: Being utilized as tailing pond. The water is recycled and reused for process.	
xxxii	(August), post -monsoon (November) and winter (January) and the data thus collected shall be regularly sent to MOEF, Central Ground water Authority and Regional Director, Central Ground Water Board.	Monitoring of ground water is undertaken by establishing a network of existing wells and the reports are submitted to Ministry, CGWB and SPCB regularly.	Graphical Representation of Ground Water Monitoring Results is attached as Annexure-2 .

(xxxv)	Adequate air monitoring stations shall be installed in areas of human habitations near the mine and the Beneficiation Plant and the results of ambient air quality shall be maintained and regularly submitted to the Regional Office of the Ministry.	Complied. Air monitoring stations are installed in the areas of human habitation near mine and the Beneficiation Plant and the results of ambient air quality are maintained and regularly submitted to the Regional Office of Ministry.	Graphical Representation of Air Monitoring results are attached as Annexure 1.
(xxxvi)	Electrical conductivity for tailing concentrate shall be regularly tested and the results submitted regularly to the Regional Office of the Ministry	The tailings are not discharged out of mines. The mine pit discharge is analyzed regularly for EC and other parameters and report submitted to R.O. of MoEFCC.	
(xxxvii)	Beneficiation plant shall be treated to confirm to the prescribe standards before discharging in to the natural stream. The discharged water from the Tailing Dam (if any) shall be regularly monitored and report submitted to the	There is no discharge of tailings outside the mine area. Monitoring of all the discharge points if any are carried out and results submitted to MoEFCC and SPCB.	4
(xxxviii)	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of ores and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments .Transportation of ore shall be	Complied Regular maintenance of company vehicles is carried out to keep a check on emissions. PUC check certificate of all the truck plying for the transportation of the ore is checked and kept as record. Trucks are weighed before the exit point to prevent the overloading. All trucks	

	done only during day time. The vehicles transporting ores shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the course of transportation. No overloading of ores for transportation shall be committed. The trucks transporting ore shall not pass through wild life sanctuary.	leaving mining premises is properly covered with tarpaulin .The transportation is carried out only during day time. No wild life sanctuaries fall in our transport routes. RFID is installed in all trucks which can scan and record truck details, cargo, weight of the truck etc.	
	Prior permission from the Competent Authority shall be obtained for extraction of ground water, if any.	<u>*</u>	water from Mine pit is obtained for
(xxxx)	Action plan with respect to suggestion /improvements and recommendations made during consultation / hearing shall be submitted to the Ministry and the State Govt within six months.	Issues bought up during the public hearing have been addressed suitably in EIA report submitted to Ministry. The issues are taken care through our CSR activities.	
(xxxxi)	A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Ministry of Environment & Forest, 5 years in advance of final mine closure for approval.	Final closure plan approved by Indian Bureau of mines would be submitted to MoEF in due course of time in accordance with rule 23C of MCDR.	

В	GENERAL CONDITIONS		
S. No	Condition of clearance	Status of compliance	Remarks
i	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment & Forest.	Complied. There is no change in mining technology and scope of working. Mining is carried out as per mining plan an approved by Indian Bureau of Mines.	
ii	No change in the calendar plan including excavation, quantum of mineral and waste shall be made.	Mining is carried out as per mining plan approved by Indian Bureau of Mines.	
iii	Fugitive dust emission from all the sources shall be controlled regularly. Water spraying arrangement on hautroads, loading and unloading and at transfer points shall be provided and properly maintained.	Complied (1) Water sprinkling is carried out to prevent the dust being getting air borne. (2)Dumps are covered with Lateritic waste, geotextiles and afforested with plants/ grasses which help in minimizing the fugitive dust. (3)Drilling & blasting is mostly carried out during monsoon. Wet drilling is strictly followed during the fair season. (4)Wheel wash system has been provided to contain the	
		dust being carried on public road. (5) Ore carrying trucks plying on public road are covered with tarpaulin & free board is provided to	

·		prevent spillage. (6) A dry wheel wash is been constructed to prevent dust generation when transport trucks moves out of mine.	
iv	Four ambient air quality -monitoring stations shall be established in the core zone as well in the buffer zone for RPM, SPM,SO2,NOX monitoring data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution control Board.		Graphical Representation of the Air Monitoring results is attached as Annexure 1 .
V	Data on ambient air quality (RSPM, SPM, SO2, and NOX) Should be regularly submitted to the Ministry including its Regional office located at Bangalore and the State Pollution Control Board / Central Board / Central Board / Central Pollution Control Board once in six months.	It is regularly complied.	
vi	Measures shall be taken for control of noise levels below 85 dB in the work environment . Workers engaged in operations of HEMM, etc . Shall be provided with ear Plugs /muffs.	Complied. Most of the dumpers & HEMM is with A/C cabins which minimize the impact of noise on operator. DG sets are provided with acoustic enclosures. All people working in mines are provided with requisite personal protective equipment's.	3

vii	Industrial waste water (Workshop and waste water from the mine) should be properly collected treated so as to confirm to the standards prescribed under GSR 422(E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.	Treated effluent from the workshop & treated effluent of the beneficiation plant is analyzed periodically on monthly basis. Oil and grease trap is installed to treat work shop effluent.	
viii		Dust mask are provided to the personnel's exposed to dusty conditions. All the dumpers & HEMM are with A/C cabins. Regular on the job training on health and safety aspects is provided to all personnel working on mines.	
ix	Provision shall be made for the housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	No workmen/ labor stays in the mine lease area. To and fro transport arrangement is made for all the people working on mines.	
Х	A separate Environment Management Cell with suitable qualified personnel shall be set - up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Complied Environment cell has multidisciplinary staff, qualified in Occupational health, safety, environment and	
	-	community development, headed by Head -HSE who reports to the CEO of the Company.	


xi	The project authorities shall inform to the Regional Office of the Ministry located at Bangalore regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	It is an ongoing mining project.	
xii	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Ministry and its Regional Office located at Bangalore.	Complied Expenditure for all the environmental measure / monitoring /reclamation etc. is separately earmarked in operational budget. Yearly expenditure on environment activities is submitted to ministry regional office.	The Environment Expenditure is attached as an annexure 4 .
xiii	The project authorities shall inform to the Regional Office of the Ministry located at Bangalore regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	It is an ongoing mining project.	
xiv	The Regional Office of the Ministry located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information /monitoring reports.	Necessary support shall be provided to the regional officer for the visit, furnishing requisite data etc.	

XV	Panchayat /local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Is Submitted	
xvi	State Pollution Control Board shall display a copy of the clearance letter at the Regional office /Tehsildar's Office for 30 days.		
xvii	The project authorities shall advertise at least in two local newspaper widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issues of the clearance letter informing that the project has been accorded environment clearance and copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry if Environment and Forest at http://envfor.nic.in and a copy of the same shall be forwarded to the Regional Office of the Ministry located in Bangalore.		
5	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further conditions in the interest of environment protection.	er .	


6	Concealing factual data or submission of false /fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of Environment (Protection) Act, 1986.	
7	Any appeal against this environment clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.	
8	The above conditions will be enforced inter -alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability insurance Act, 1991 along with their amendments and rules.	

Annexure 1


Ambient Air Quality Monitoring Report Air Monitoring in Core Zone as per Mine Specific Standard Particulate Matter (Limit- 1200µg/m3)



Location: Khauli village




Location: Davcona Village




Ambient Air Quality Monitoring Report


Codli Group of Iron Ore Mine

Location Name: kalsai Village



Location Name: karmone Village





Vedanta Limited ,Mining Division ,Codli Mines,P.Q. Kirlapale ,Goa-403727

Recognised by Ministry of Environment, Forests and Climate change, Govt. of India Vide Notification .S.O.137(E). Dated 12th January 2015, Valid up to 11.01.2020

* Certified by ISO 9001:2008, ISO 14001:2004 and OHSAS 18001:2007

Surface Water Analysis Report for the Month of January 2017

Mine Name: Codli Mine

Date of Sample collection: 20.01.2017

Standard method used for analysis: APHA Standard

Test Report No: 234

Date of Receipt of sample: 20.01.2017 Analysis completion date: 31.01.2017

					Locat	ion		
Parameter	Unit	Permissible limits	Upstream River Khandepar /Downstream River karmane	Mine water discharge	Downstream River Khandepar	Upstream River Kirlapal	Downstream River Kirlapal	Upstream River Karmone
Colour	Hazen		<5	<5	<5	<5	<5	<5
рН		5.5 to 9.0	6.66	6:73	6.8	6.63	6.68	6.65
Turbidity	NTU		1.0	1.0	0.9	0.9	1.0	1.0
Dissolved Solids	mg/lit		32	21	34	41	38	28
Conductivity	μS/cm		64	42	67	84	69	56
Suspended Solids	mg/lit	100	2	2	2	2	2	2
Chlorides	mg/lit		6	5	7	7	6	6
Total Hardness as CaCO3	mg/lit		22	18	22	32	28	22
Calcium as Ca ⁺⁺	mg/lit		4.8	3.2	4.8	5.6	5.6	5.6
Magnesium as Mg ⁺⁺	mg/lit		2.4	2.4	2.4	4.4	3.4	1.9
Sulphate as SO4	mg/lit		2.0	2	2	1	1	1
Phosphate as PO ₄	mg/lit	5	BDL	BDL	BDL	BDL	BDL	BDL
Nitraté as NO3	mg/lit	10	0.1	0.1	0.1	0.2	0.2	0.1
B.O.D (3days, 27°C)	mg/lit	30	<3	<3	<3	<3	<3	<3
C.O.D	mg/lit	250	<10	<10	<10	18	18	<10
Total Iron	mg/lit	3	0.1	0.11	0.13	0.1	0.2	0.14
Manganese as Mn	mg/lit	2	0.07	0.06	0.06	0.06	0.08	0.07
D.0	mg/lit		7	7	7	7	7	7
Oil & Grease	mg/lit	10	<1	1.3	1	<1	1	<1

Note:- There is no water discharge from Dump 9 (Talaulikar Side); Dump9 - Figredo Side; Dump 9 - RI Plant side, Dump 4 & Towards Kalsai

BDL- Below Detection Limit

Govt. Analyst

sesa sterlite

M/s Sesa Environment Laboratory

Vedanta Limited , Mining Division , Codli Mines, P.O. Kirlapale , Goa-403727

Recognised by Ministry of Environment, Forests and Climate change, Govt. of India Vide Notification .S.O.137(E). Dated 12th January 2015, valid up to 11.01.2020 * Certified by ISO 9001:2008, ISO 14001:2004 and OHSAS 18001:2007

Well Water Analysis Report

Mine Name: Codli Mine

Date of Sample collection: 15.11.2016
Standard method used for analysis: APHA Standard

Test Report No: 194

Date of Receipt of sample:15.11.2016 Analysis completion date:21.11.2016

	*****	D	Location					
Parameter	Unit	Permissible Limit	Nursery Well	Wagona Well	Vishnu Naik Well	Inha's Well		
Colour	Hazen	<5	<5	<5	<5	<5		
рН	.=	6.5-8.5	6.63	6.54	6.5	6.5		
Turbidity	NTU	5	0.9	2.5	2.1	1.6		
Conductivity	μs/cm	-	38	40	42	38		
Dissolved Solids	mg/lit	500	19	20	21	19		
Suspended Solids	mg/lit	-	2	2	2	2		
Chloride	mg/lit	250	7	5	5	5		
Total Hardness as CaCO3	mg/lit	200	10	14	14	12		
Calcium as Ca++	mg/lit	75	2.4	2.4	3.2	1.6		
Magnesium as mg++	mg/lit	30	1.0	1.9	1.5	1.9		
Sulphate as SO4	mg/lit	200	1	1	1	1.9		
Nitrate as NO3	mg/lit	45	BDL	BDL	BDL	BDL		
Alkalinity	mg/lit	200	19	16	18	17		
Iron as Fe	mg/lit	0.3	0.08	0.06	0.08	0.09		
Manganese as Mn	mg/lit	0.1	0.06	BDL	BDL	0.04		
Coliform (MPN) Organism/100ml	-	Absent	10	32	12	20		

BDL- Below Detection Limit

Govt. Analyst

M/s Sesa Environment Laboratory

Vedanta Limited , Mining Division , Codli Mines, P.O. Kirlapale , Goa-403727

Recognised by Ministry of Environment, Forests and Climate change, Govt. of India Vide Notification .S.O.137(E). Dated 12th January 2015, Valid up to 11.01.2020

* Certified by ISO 9001:2008, ISO 14001:2004 and OHSAS 18001:2007

Surface Water Analysis Report for the Month of March 2017

Mine Name: Codli Mine

Date of Sample collection: 13.03.2017

Standard method used for analysis: APHA Standard

Test Report No: 256

Date of Receipt of sample: 13.03.2017 Analysis completion date: 20.03.2017

	1				Locati	on		
Parameter	Unit	Permissible limits	Upstream River Khandepar /Downstream River karmane	Mine water discharge	Downstream River Khandepar	Upstream River Kirlapal	Downstream River Kirlapal	Upstream River Karmone
Colour	Hazen		<5	<5	<5	<5	<5	<5
рН		5.5 to 9.0	6.68	6.6	6.71	6.68	6.58	6.59
Turbidity	NTU		1.1	1.0	1.0	1.0	1.3	0.9
Dissolved Solids	mg/lit		40	33	36	49	46	, 38
Conductivity	μS/cm		80	66	72	98	92	76
Suspended Solids	mg/lit	100	2	2	2	2	2	2
Chlorides	mg/lit		7	8	7	8	7	8
Total Hardness as CaCO3	mg/lit		30	22	28	38	34	30
Calcium as Ca ⁺⁺	mg/lit		6.5	4.9	5.7	7.3	6.5	6.5
Magnesium as Mg ⁺⁺	mg/lit		3.4	2.5	3.4	4.9	4.4	3.4
Sulphate as SO4	mg/lit		2	2	2	2	3	1
Phosphate as PO ₄	mg/lit	5	BDL	BDL	BDL	0.1	0.1	BDL
Nitrate as NO3	mg/lit	10	0.1	0.1	0.1	0.1	0.2	0.1
B.O.D (3days, 27°C)	mg/lit	30	<3	<3	<3	<3	<3	<3
C.O.D	mg/lit	250	<10	<10	<10	<10	<10	<10
Total Iron	mg/lit	3	0.20	0.18	0.15	0.11	0.2	0.17
Manganese as Mn	mg/lit	2	0.09	0.08	0.06	0.08	0.11	0.09
D.0	mg/lit		7	7	7	7	. 7	7
Oil & Grease	mg/lit	10	<1	1	<1	<1	1	<1

Note:- There is no water discharge from Dump 9 (Talaulikar Side) Figure 3 de, Dump 9 - RI Plant side, Dump 4 & Towards Kalsai

BDL- Below Detection Limit

Govt. Analyst

sesa sterlite

SECA #

M/s Sesa Environment Laboratory

Vedanta Limited ,Mining Division ,Codli Mines,P.O. Kirlapale ,Goa-403727

Recognised by Ministry of Environment, Forests and Climate change, Govt. of India Vide Notification .S.O.137(E). dated 12 th January 2015, Valid up to 11.01.2020

* Certified by ISO 9001: 2008, ISO 14001:2004 and OHSAS 18001:2007

Well Water Quantity Report

Mine Name:Codli mine

Instrument Used: Well water tape

Depth of Water level from the reference point in mtrs							
Location	Well near Codli Nursery	Well of Mr Vishnu Naik	Well in vagon field	well near Inha's House			
Total Depth of well	10.9	13.2	8.8	7.8			
21.10.2016	6.8	9.8	5.8	4.5			
15.11.2016	7.8	10.2	6.3	5			
21.12.2017	8.05	10.5	6.42	5.8			
20.01.2017	8.1	10.7	6.7	5.8			
17.02.2017	8.8	10.9	7.1	6.4			
13.03.2017	9.2	11.6	7.6	6.8			
	W	ater Column in mtrs					
21.10.2016	4.1	3.4	3	3.3			
15.11.2016	3.1	3	2.5	2.8			
21.12.2017	2.85	2.7	2.38	2			
20.01.2017	2.8	2.5	2.1	2			
17.02.2017	2.1	2.3	1.7	1.4			
13.03.2017	1.7	1.6	1.2	1			

Govt Analyst

sesa sterlite

PLANTATION DETAILS FOR THE FINANCIAL YEAR 2016-2017

Name of the Species		cies				
Sr. No.	Botanical Name	Common Name	Nos.	Area in Ha.	Location	
1) Anacardium occidentale		Cashew	11	<u> </u>	Common I / Francisco monto Office	
2)	Musa	Banana	20	-	Gurmel (Environment Office	
3)	Bambusoideae	Bamboo	10	-	MV Sodo	
4)	Bauhinia Racemosa	Apta	50	-		
5)	Acacia Siamea	Acacia Siamea	150	_		
6)	Garcinia indica	Kokum	10	-	Gadia Sodo (Near Pit 9)	
7)	Samanea saman	Rain tree	45	-		
8)	Delonix regia	Gulmohar	-	-		
TOTAL			361	0.14		

Environment & CSR Expenditure (2016-17)

Codli Iron Ore Mine

• Environment Expenditure

Subjects	Environment Expenditure (In Indian Rupees)		
GEN EXP-ENVIRONMT	1,706,620		
STAT.REQ.ENVIRONT	97,023		
MINE RECLAIMATION	1,370,018		
EROSION CONTROL	1,969,894		
WATER TREATMENT	13,260		
DUST SUPPRESSION	16,898,545		
NURSERY ASTHETIC	378,865		
ENV. MONITORING-N&S	2,306,279		
Total	24,740,505		

Budgeted Environment Expediture: 18943408 indian Rupees

• CSR Expenditure

Thrust area	Activity	Budget in lakhs	Expenses In Lakhs
Education	Support to educational institutes for organzing sports, cultural events.	0.50	0.45004
Sport and cultural	Support to sports & cultural clubs for organzing competitions.	1.00	1
Education	Career counseling, personality development & english speaking class for students.	elopment & english speaking	
Education	Villge computer center (2 Nos.)	1.50	0.75342
Need based	Need based rural development	10.00	10.5811749
Education	School Transport	20.00	22.4364457
Women empowerment	women empowernment	0.50	0.0266
Education	B.E.Mining Farmagudi	85.00	65.4836
Education	NANDGHAR	30	26.7467288
Education	Sesa Technical school Panchwadi	45	43.30267811
Total		195.50	170.78