

Form IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 1805945

Period : Jan2022-Dec2022

1. Particulars of the Occupier												
(i) Name of the authorized person (Occupier or operator of facility):	Saptesh sardesai											
(ii) Name of HCF or CBMWTF:	Mini Blast Furnace & Sinter Plant											
(iii) Address for Correspondence:	Mini Blast Furnace & Sinter Plant Navelim											
(iv) Address of Facility:	Mini Blast Furnace & Sinter Plant, Navelim Bicholim Goa											
(v) Tel. No.:	9011004482											
(vi) Fax. No.:	0832 - 3981575											
(vii) E-mail ID:	saptesh.sardesai@vedanta.co.in											
(viii) URL of Website:	www.sesagoaironore.com											
(ix) GPS coordinates of HCF of CBMWTF:	15°31'04. 7" N 74°00'09'.0"E											
(x) Ownership of HCF or CBMWTF:	Private											
(xi) Status of Authorization under the BMW (Management and Handing) Rules:	Authorization No.: 13/640/2017-PCB/Tech/16212 dated 22/11/2017 Valid Upto: 21/11/2027											
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto:											
2. Type of Health Care Facility												
HCF/CBMWTF Type:	Other											
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 0.168 Red Category: 0.032 White Category: 0.011 Blue Category: 0.002 General Solid Waste: 0											
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details												
(i) Details of the on-site storage facility:	Size: 0 Metric Tonnes/Day Capacity: 0 Metric Tonnes/Day Provision of on-site storage: NA											
(ii) Disposal Facility:	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 25%;">Type of Treatment Equipment</th> <th style="width: 25%;">Number of Units</th> <th style="width: 25%;">Capacity(Kg/day)</th> <th style="width: 25%;">Quantity Treated or Disposed(Kg/annum)</th> </tr> </thead> <tbody> <tr> <td colspan="4">List is Empty</td> </tr> </tbody> </table>				Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	List is Empty			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)									
List is Empty												
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0											
(iv) No of vehicles used for collection and transportation of BMW:	1											

(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	Type of waste	Quantity Generated	Where disposal
	<i>List is Empty</i>		
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	<i>Waste is sent to M/s Vedanta Ltd. Met Coke Division, Amona for Incineration in coke ovens.</i>		
5. Do you have BMW management committee:	<i>yes</i>		
details:	<i>MOM attached</i>		
6. Training Conducted on BMW Details			
(i) Number of training conducted on BMW Management:	<i>2</i>		
(ii) Number of personnel trained:	<i>8</i>		
(iii) Number of personnel trained at the time of induction:	<i>0</i>		
(iv) Number of personnel not undergone any training so far:	<i>0</i>		
(v) Whether standard manual for training is available:	<i>yes</i>		
(vi) Any other information:	<i>BMW Management Rules 2016 referred to while training</i>		
7. Details of the accident occurred			
(i) No. of accident occurred:	<i>0</i>		
(ii) Number of the persons affected:	<i>0</i>		
(iii) Remedial Action taken:	<i>NA</i>		
(iv) Any Fatality occurred, details:	<i>NA</i>		
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	<i>The waste incinerated in coke oven batteries</i>		
Details of Continuous online emission monitoring systems installed:	<i>NA</i>		
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	<i>NA</i>		
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	<i>NA</i>		
11. Any other relevant information:	<i>NA</i>		

Name and Signature of the Head of the Institution

Date : 24/06/2023

Place : NORTH GOA